

## NO.1 Sanderpaper Sheet



Grit : P400 P600 P800 P1000 P1200

Size : 230\*280 (mm)

Material : Silicon carbide

Application : Wet and dry sandpaper, metal, plastic, wood, paint surface, car paint surface, acrylic and other related industry products

3M 734



Grit : P180 P220 P240 P400 P600 P1200 P2000

Size : 215\*279 (mm)

Material : Alumina

Application : Polishing and grinding

3M 268L

Grit : P1500 P2000

Size : 139\*228 (mm)

Material : Silicon carbide

Application : paint repair

3M 401Q




Grit : P240

Size : 228\*279 (mm)

Material : diamond

Application : Polishing and Grinding of hard materials

3M 6018J



Grit : A5 A10 A20 A35

Size : 215\*279MM

Material : Alumina

Application : paint repair

3M 268XA



Grit : P120 P150 P180 P240 P320 P400 P600 P800

Size : 110\*75 (mm)

Material : Alumina

Application : Polishing and Grinding, Automotive Sheet Metal Aluminum Alloy

3M 237U

Grit : P2500

Size : 227\*280 (mm)

Material : Silicon carbide

Application : polishing and grinding

3M 401Q



Grit : P240 P320 P600 P800 P1200 P1500 P2000

Size : 230\*280mm

Material : Silicon carbide

Application : Metal and wood surface grinding

3M 618



Grit : P120 P180 P240 P320 P400 P600 P800 P1000 P1200 P1500 P2000 P2500

Size : 230\*280 (mm)

Material : Silicon carbide

Application : polishing and grinding

3M 407Q



Grit : P600 P1200 P1500 P2000

Size : 215\*279 (mm)

Material : Alumina

Application : Polishing and grinding

3M 261X

Grit : P240 P320 P600 P1200 P1500 P2000

Size : 230\*280mm

Material : Silicon Carbide

Application : Metal and wood surface grinding

3M 518



Grit : P80 P120 P150 P180 P240 P320 P400 P600 P800

Size : 228\*279 (mm)

Material : Alumina

Application : polishing and grinding

3M 216U



Grit : P800

Size : 215\*279 (mm)

Material : Alumina

Application : Polishing and grinding

3M 263X



Grit : P5000 P8000

Size : 215\*279 (mm)

Material : Alumina

Application : Cutting and grinding

3M 266X





Grit : P1500 P2000  
 Size : 127\*228 (mm)  
 Material : Silicon carbide  
 Application : primer sanding,Lacquer polishing

3M 02044



Grit : P180 P240 P600  
 Size : 230\*280 (mm)  
 Material : Alumina  
 Application : polishing and grinding

Thailand TOA

Grit : P120 P180 P240 P320 P400 P600  
 Size : 230\*280 (mm)  
 Material : Alumina  
 Application : polishing and grinding

Fuji Star



Grit : P80 P120 P180 P240 P320 P400 P600  
 Size : 230\*280 (mm)  
 Material : Silicon carbide  
 Application : polishing and grinding

Yeshu



Grit : P120 P180 P240 P320 P400 P600 P800  
 Size : 230\*280 (mm)  
 Material : Alumina  
 Application : polishing and grinding

Fuji Star LAC-S

NO.2 sanding disc



Grit : P3000  
 Size : 70\*140 (mm)  
 Application : Lacquer polishing

3M 30290


Grit : P80 P120 P180 P240 P320 P400 P600 P800  
 Size : 230\*280 (mm)  
 Material : Alumina  
 Application : polishing and grinding

Korean SHC




Grit : P80 P120 P150 P180 P240  
 Size : 125 (mm)  
 Material : ceramic particles  
 Application : polishing and grinding

3M 950U



Grit: P400 v P600 P800 P1000 P1500 P2000  
 Size:230\*280 (mm)  
 Material:Silicon carbide  
 Application:Main application and polishing of various materials

Korean Eagle



Grit : P80 P120  
 Size : 5 inch  
 Material : Alumina  
 Application : Polishing

3M 251U

Grit : P80 P120 P180 P240 P320 P400 P600  
 Size : 230\*280 (mm)  
 Material : Alumina  
 Application : polishing and grinding

Korean Yeshu



Grit : P3000  
 Size : 152 (mm)  
 Material : Silicon carbide  
 Application : Lacquer polishing

3M 02085



Grit : P120 P180 P240 P220 P320 P400 P600 P800 P1000 P1200  
 Size : 230\*280mm  
 Material : Silicon carbide  
 Application : Jade polishing and grinding

Matador



Grit : P3000  
 Size : 75 (mm)  
 Material : Silicon carbide  
 Application : polishing and grinding

3M 02087



Grit : P80 P120 P150 P180 P240 P320 P400 P500 P600 P800  
 Size : 75 (mm)  
 Material : Alumina  
 Application : polishing and grinding

**3M 216U**




Grit : A5 A10 A20 A35  
 Size : 3inch 5inch  
 Material : Alumina  
 Application : Polished Scratch Repair

**3M 268XA**


Grit : P80 P120 P150 P180 P240 P320 P600  
 Size : 152 (mm)  
 Material : Alumina  
 Application : polishing and grinding

**3M 216U self-adhesive roll**




Grit : 1MIC 3MIC  
 Size : 5inch  
 Material : membrane  
 Application : Polishing and grinding

**3M 468XY**



Grit : P80 P120 P150 P180 P240 P320 P500 P600 P800  
 Size : 125 (mm)  
 Material : Alumina  
 Application : Lacquer polishing

**3M 216U sticker**



Grit : P600  
 Size : 200 (mm)  
 Material : mesh sand  
 Application : putty sanding

**3M 281W**

Grit : P80 P120 P150 P180 P240 P320 P500  
 Size : 75 (mm)  
 Material : Alumina  
 Application : Lacquer polishing

**3M 236U**



Grit : 1MIC 3MIC 6MIC 9MIC  
 Size : 5inch  
 Material : membrane  
 Application : Polishing and grinding

**3M 662XW**



Grit : P80 P120 P150 P180 P240 P320 P500  
 Size : 5inch 6inch  
 Material : Alumina  
 Application : Lacquer polishing

**3M 236U 6 holes**



Grit : P80 P120 P150 P180 P240 P320 P400 P600 P800  
 Size : 5 inch  
 Material : Alumina  
 Application : Polishing and grinding

**3M 237U**

Grit : P2500  
 Size : 8 inch  
 Material : Silicon carbide  
 Application : polishing and grinding

**3M 401Q**




Grit : P400 P600 P800 P1000 P1200  
 Size : 3inch  
 Material : Silicon carbide  
 Application : Lacquer polishing

**3M 734**




Grit : P120 P180 P240 P320 P400 P600 P800 P1000 P1200 P1500 P2000  
 Size : 8 inch  
 Material : Silicon carbide  
 Application : polishing

**3M 407Q**



Grit : P1500 P2000  
 Size : 5inch  
 Material : Silicon carbide  
 Application : Lacquer polishing

**3M 401Q Adhesive**



Grit : 1MIC 3MIC  
 Size : 5寸 (mm)  
 Material : membrane  
 Application : Polishing and grinding

**3M 468XY**



Grit : P120 P180 P240 P220 P320 P400 P600 P800 P1000 P1200  
 Size:200mm  
 Material:Silicon carbide  
 Application: Jade polishing and grinding

**Matador**

Grit : 1MIC 3MIC 6MIC 9MIC  
 Size : 5inch  
 Material : diamond  
 Application : polishing and grinding

**3M 662XW**



Grit : P400 P600 P800 P1000 P1200 P1500 P2400 P3000 P4000 P5000  
 Size : 8 inch  
 Material : Silicon carbide  
 Application : Jade polishing and grinding

**TROJAN (USA)**



Grit : P500  
 Size : 125 (mm)  
 Material : Alumina  
 Application : Cutting and grinding

**3M 255P**

**NO.3 Precision Grinding Rolls**



Grit : 9MIC 15MIC 30MIC 40MIC 60MIC  
 Size : 101MM\*150FT\*76MM  
 Material : Alumina  
 Application : Glasses, shafts, metal, plastic, paint grinding, automobile train parts, plastic products

**3M 362L**


Grit : P400 P600 P800 P1000 P1200  
 Size : 8 inch  
 Material : Silicon carbide  
 Application : polishing

**3M 734**



Grit : 9MIC 15MIC 30MIC 40MIC 60MIC 80MIC 100MIC  
 Size : 101\*46M\*76 (mm)  
 Material : Alumina  
 Application : Electroplating mirror rollers, printing plate cylinders, stainless steel rollers, rubber rollers, metal processing

**3M 372L**



Grit : P80 P120 P180 P240 P240 P320 P400 P500  
 Size : 5 inch  
 Material : Alumina  
 Application : polishing and grinding

**3M 346U**



Grit : 30MIC  
 Size : 10mm 20mm 30mm 50mm  
 Material : Alumina  
 Application : polishing and grinding

**3M 372L Narrow**


Grit : P120 P180 P240 P320 P400 P600  
 Size : 5 inch  
 Material : Alumina Ore  
 Application : polishing and grinding

**Fuji start**



Grit : 30MIC  
 Size : 50\*1000MM  
 Material : Silicon carbide  
 Application : Glasses Shafts Metal, Plastic, Paint Grinding

**3M 472L**




Grit:P60 P80 P120 P150 P180 P240 P320 P400 P600 P800 P1000  
 Size:5 inch  
 Material:Alumina  
 Application: Cutting and grinding

**Green sanding disc**



Grit : 3MIC 5MIC 9MIC 12MIC 30MIC  
 Size : 101\*46\*79 (mm)  
 Material : Alumina  
 Application : Micro Motor Fiber Interface

**3M 261X**



Grit : 30U20U45U  
 Model : 20MIC 30MIC 45MIC 74MIC  
 Size : 4\*50FT\*3(mm)  
 Material : diamond particles  
 Application : Precision Machining

**3M 675L**



Grit : 2500  
 Size : 32mm  
 Material : Silicon carbide  
 Application : polishing and grinding

**3M 401Q**

Grit : 20MIC 30MIC 40MIC

Size : 3inch

Material : Alumina

Application : Putty grinding original ash and polishing

**3M 268L Adhesive**



**NO.4 3M Sanding belt**

Grit : P150 P240 P400 P600

Size : 2100\*50MM

Material : non-woven

Application : polished brushed

**3M Nylon Abrasive Belt Non-Woven**



Grit : P220 P240 P320 P400 P600 P800


Size:3inch



Material:Alumina

Application:Eliminate small scratches and defects on the workpiece surface, Plexiglass Artificial Marble

**3M 360L**



Grit : A16 A30

Size : 2100\*50MM

Material : Alumina

Application : polishing and grinding


**3M 253FA**

Specifications : 10/20/30/50MM

Material : Alumina Ore Sand, Silicon Carbide Ore Sand, CUBITRON Ultra Coating

Application : Precision and grinding

**3M 362L**



Size : 2100\*50MM

Material : Alumina

Abrasive : Zirconium corundum ore

Application : Stainless steel finishing

**3M 577F**



**3M 466LA**



Grit : A3 A5 A7 | Size : 32mm | Material : Alumina Silicon carbide | Application : Sanding and polishing, paint repair



Grit : 1U

Size : 101MM\*23M

Material : Alumina

Application : polishing and grinding

**3M 971X**

Color : white

Size : 32mm

Material : Ceria

Application : LCD LDE glass scratch repair

**3M 568XA**



Grit : A16 A30 A45 A65 A80 A100

Size : 2100\*50MM

Material : Alumina

Application : Stainless steel finishing

**3M 237AA**



**3M 268L**

Grit : P180 P220 P240 P400 P600 P1200 P2000 | Size : 215\*279(mm) | Material : Alumina  
 Application : polishing and grinding | Application : Jade polishing and grinding



Grit : P80+

Size : 1.91 cm x 45.72 cm

Material : Ceramic

Application : Stainless steel finishing

**3M 947A**

## NO.5 Cutting& Grinding wheel




Brand : 3M  
 Size : 180x6x22.23mm  
 Material : ceramic  
 Application : polishing and grinding

3M 72678

Brand : 3M  
 Size : 200x50x25mm  
 Material : Alumina  
 Application : polishing and grinding



3M HP Nylon Non-Woven Fabric



OEM Cutting Disc

Brand : OEM cutting disc | Material : Alumina | Size : 2inch 3inch 4inch 4.5inch 5inch or customize  
 Feature : Indexing type generating grinding of adjacent tooth flanks with a type 4 wheels.-  
 Profile grinding wheel,Profiles the exact shape of the gear tooth.The wheel runs between two opposing teeth to grind both surfaces at the same time.

OEM Grinding Wheel



Brand : OEM grinding wheel | Material : Alumina | Size : 2inch 3inch 4inch 4.5inch 5inch or customize  
 Feature : Indexing type generating grinding of adjacent tooth flanks with a type 4 wheels.-  
 Profile grinding wheel,Profiles the exact shape of the gear tooth.The wheel runs between two opposing teeth to grind both surfaces at the same time.

## NO.6 Flap Disc



Grit : P40+  
 Size : 4.5inch  
 Material : ceramic  
 Application : polishing and grinding



3M 967A

3M 984F

3M 237AA

Brand : OEM  
 Size : 4inch 4.5inch  
 Material : Alumina Zirconium Corundum  
 Application : polishing and grinding

OEM



Brand : OEM Plastic Back  
 Size : 4inch 4.5inch  
 Material : Alumina Zirconium Corundum  
 Application : polishing and grinding

OEM Plastic Back

Brand : OEM  
 Size : 4inch 4.5inch  
 Material : ceramic  
 Application : polishing and grinding

OEM




Material : Premium Aluminium Oxide  
 Backing : Nylon Backing (Fiberglass Backing Available)  
 Type : T27/T29  
 Diameter : 100mm,115mm,can be customized  
 Grit : 40-320#

Flower Flap Disc

## NO.7 Fiber disc

Brand : 3M Grit : P36+  
 Size : 7inch  
 Material : ceramics  
 Application : Weld grinding

3M 982C




Brand:3M Size:5inch  
 Grit:P36+ P60+ P80+  
 Material: Ceramic alumina  
 Application:sanding and deburring

3M 987C

Grit : 36+  
 Abrasive Material : Precision Shaped Ceramic  
 Application : Beveling, Deburring, Heavy Grinding, Weld Removal  
 Backing Material : Fibre  
 Center Hole Diameter (Imperial) : 0.625 in, 0.875 in

3M 987CX Pro



Brand : OEM  
 Grit : P80  
 Material : Aluminum Oxide  
 Application : polishing and grinding

OEM

## NO.8 Polishing Wax Water



3M 05928 3M 06002 3M 13084 3M 81235 3M 85928 3M 85991 3M K320

### 3M polishing wax

3M™ Finesse-it™ Polish - Final Finish is part of a line of specially designed compounds and polishes for use in OEM and bake refinishes to remove sand scratches or remove swirl marks from previously mixed areas, designed to produce the most Best results when used with air or motorized buffers equipped with our 3M™ Finesse-it™ polishing pads.



3M 05954 3M 05973 3M 6070 3M 06085A 3M 09374 3M 15955 3M 85945

### 3M Grinding Crude Wax

Economical liquid compounds provide high cutting rates  
Compound to remove 1000 and finer sand scratches | Removal of oxidation  
Formula stays moist for long periods of time and continues to cut under moderate pressure  
Compounds can be applied by hand or by machine



3M 5989 3M 05990 3M 05996 3M 15928 3M 82876 3M 82877

### 3M Mirror Polishing Wax Mirror Finish

Removal of swirl marks after compounding | Chemically safe clear coat  
Produces a deep, high gloss finish | Wax and silicone free formula | Easy to clean up



3M 85990 3M Ultra-Solid Bright Wax 3M Quick Clean Waxing Water

Application:

Suitable for hard floors of most materials, such as PVC, rubber, epoxy resin, cement floors, etc.  
For delicate surfaces such as paint surface, wood floor, stone, etc., please try a small area before use

## NO.9 Sanding Sponge



3M 02602 3M 02600 3M 02601 3M 02606



3M 02604 Antelope 3M 02602 half sheet

### 3M SANDING SPONGE

02602 (Red 500#-600#) superfine | 02600 (Green 1200#-1500#) microfine  
02601 (Blue (800#-1000#) ultrafine | 02604 (Red 320#-400#) fine | 02606 (Red 120#-180#) medium

## NO.10 3M Scouring Pad



3M 7440B 3M 07521 3M C M VF SF

### 3M 7440B

Scotch-Brite™ Hybrid Hand Pad 7440B uses an open aggressive web for effective hand mixing, general purpose cleaning, prep and finishing. Conformable materials accommodate flat and irregular contours without significantly changing the dimensions of the base material. Unlike steel wool, the Hybrid Hand Pad will not chip during use, rust or leave small metal fragments after use

## NO.11 3M Glue



3M 5200



3M 5200



3M K520


### 3M Marine Adhesive Sealants

Recommended Applications : Fiberglass deck to hull | Via hull fittings | Wood to fiberglass Portholes and deck fittings | Motor on fiberglass tailgate | Bottom mold Hull seams above and below the waterline | Deck house


### NO.12 Wool Ball



3M 05726



3M 02637



3M 02648

### 3M 02648 02637 05726 sponge polishing pad

We manufacture 3M™ Finesse-it™ Polishing Pads - Orange Foam White Circle for use with our 3M™ Finesse-it™ Polishing Compound, which is specifically designed for use in wood, automotive, marine, and aerospace coatings.



3M 85103



A0213



3M 85100

### 3M 85100 85103 A0213 Wool Ball

3M™ Hookit™ Attachment System securely holds the pads and provides quick disc/pad replacement

Pads are combined with bumpers, random orbit tools and variable speed polishers to produce the desired final finish



3M 05701



3M 05705



3M 05711



3M 05713



3M 05723



3M 05725

### 3M 05701 05705 05711 05713 05723 05725 Double-Sided Wool Wheel

How to use: lock the polishing machine

Scope of application : car paint polishing, paint spraying, furniture, kitchen and bathroom, etc.;

Uses: Cooperate with polishing wax to polish the defects and flaws of the paint or panel to achieve efficient removal and repair.



3M 85078



3M 85099



3M 85079

### 3M 85078 85079 85099 Polished Wool Ball

We manufacture 3M™ Finesse-it™ Knit II polishing pads that knit wool fibers into a polyester fabric backing for the application of Finesse-it™ Finishes or Finesse-it™ Final Finishes.

### NO.13 Mushroom Buckle



3M SJ3550



3M SJ3560F



3M SJ3550CF

### 3M SJ3550 3551 3552 Level 170 Level 250 Level 400

Size : 25.4MM\*45.6M

SJ3551 : Density is 400, high density, white VHB acrylic adhesive, straight black mushroom head, strong strength, difficult to disassemble.

SJ3550 : The density is 250, medium density, white VHB acrylic adhesive, wavy black mushroom head, medium strength, easy to disassemble.

SJ3552 : Density is 170, white VHB acrylic adhesive, straight black mushroom head, used together with SJ3551.

### NO.14 3M Backing Pad



3M 82457



3M 82793



3M 82705



**3M 82457 82705 82793**

Designed to support 3M™ Screen Cloth Discs (sold separately)  
 The tacks on the pads require no adhesive, so the operator can use both sides of the disc  
 Equipped with hand straps for secure hand placement and secure grip  
 Available in soft and medium densities so operators can customize pads to their project needs  
 Can be used wet or dry




**3M 14736U 3M 20351 3M 20356 3M 20453**

**3M 14736U 20351 20356 20453**

Classic match :

1. Optional supporting machine | 3M7403 Pneumatic Grinder/Polisher
2. Can be matched with black torque tray  
 3M 45090 (soft) | 3M 45091 (middle) | 3M 45092 (hard)
3. Can be matched with wool balls  
 3M85078 wool ball (long hair) | 3M85099 wool ball (short hair)



**3M 45090 3M 3125 3M 45091**



**3M 05526 3M 13441 3M 3125 skirt cover**

**3M 45090 45091 3125 05526 13441**

Our 3M™ Wetordry™ Foam Pads serve a dual purpose, making sanding easier and better. This auto shop accessory is the result of a search for innovative ways to increase productivity and efficiency at work.

**NO.15 polishing machine**



**3M 20319 3M 3125 3M 28333 3M 20327**



**3M 20231 3M 28337 3M 9403 3M 28331**







**3M 28332 3M 7403 3M 20331 3M 20317**

**3M Polishing Machine**

Low Profile, Balanced Design Optimizes 3M™ Abrasive Performance

Our 3M™ series of self-generating vacuum random orbital sanders (SGV) are pneumatically operated, providing professional performance and eddy-free finishes in high-volume industrial environments where dust extraction is preferred. Our high-quality tools are designed to optimize the performance of 3M™ Abrasives and combine with 3M™ Clean Sanding Filter Bags for effective dust removal.





NO.16 Other

